

Racial and Ethnic Disparities in Home Dialysis Use in the United States: Barriers and Solutions

Journal:	<i>Journal of the American Society of Nephrology</i>
Manuscript ID	JASN-2022-03-0288.R1
Manuscript Type:	Invited Feature
Date Submitted by the Author:	07-Apr-2022
Complete List of Authors:	Rizzolo, Katherine; University of Colorado, Department of Renal Medicine and Hypertension Cervantes, Lilia; University of Colorado - Anschutz Medical Campus, Department of Medicine Shen, Jenny; The Lundquist Institute
Keywords:	racial and ethnic disparities, dialysis access, United States, Home Hemodialysis, peritoneal dialysis, home dialysis

SCHOLARONE™
Manuscripts

1
2
3 **Authors:** Rizzolo, Katherine; Cervantes, Lilia; Shen, Jenny
4

5 **Title:** Racial and Ethnic Disparities in Home Dialysis Use in the United States: Barriers and Solutions
6

7
8 **Running title:** Racial and Ethnic Disparities in Home Dialysis Use in the United States: Barriers
9 and Solutions
10

11 **Manuscript Type:** Invited Feature
12

13 **Manuscript Category:** Perspective
14

15 **Funders:** Katherine Rizzolo, (Grant / Award Number: '5T32DK007135-46')
16

17
18 **Financial Disclosure:** CUST_FINANCIAL_DISCLOSURE :No data available. K. Rizzolo reports Other
19 Interests or Relationships: ASN Health Care Justice Committee. L. Cervantes reports Research Funding:
20 Retrophin; Advisory or Leadership Role: Retrophin/Traverse; and Other Interests or Relationships:
21 National Kidney Foundation. J. Shen reports Advisory or Leadership Role: Kidney Medicine Associate
22 Editor, North American Council of the International Society of Peritoneal Dialysis, PDOPPS Steering
23 Committee, Peritoneal Dialysis International Editorial Board; and Other Interests or Relationships:
24 National Kidney Foundation member, and American Society of Nephrology member.
25

26
27 **Study Group/Organization Name:** CUST_STUDY_GROUP/ORGANIZATION_NAME :No data available.
28

29 **Study Group Members' Names:** CUST_STUDY_GROUP_MEMBERS :No data available.
30

31 **Total number of words:** 1258
32

33 **Abstract:** DOCUMENT_ABSTRACT :No data available.
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Racial and Ethnic Disparities in Home Dialysis Use in the United States: Barriers and Solutions

Katherine Rizzolo MD¹, Lilia Cervantes MD², Jenny I. Shen MD³

¹University of Colorado, Department of Renal Medicine and Hypertension

²University of Colorado Anschutz Campus, Department of Medicine

³The Lundquist Institute at Harbor-UCLA Medical Center

Words: 1258

Figures: 1

References: 13

1
2
3 In 2019, the Advancing American Kidney Health (AAKH) Executive Order set a goal: by 2025, 80% of
4 patients with incident kidney failure should be started on home dialysis therapies or receive a kidney
5 transplant. Racial and ethnic minority populations have a disproportionately high risk of kidney failure:
6 Black and Latinx individuals have a 3.4 times and 1.3 times greater risk, respectively, compared to non-
7 Latinx White people.¹ Despite this, Black and Latinx patients are less likely than non-Latinx White
8 patients to be treated with home dialysis: 7.3% of Black patients and 7.4% of Latinx prevalent patients
9 with kidney failure are treated with home dialysis therapies, compared with 9.3% of non-Latinx white
10 patients.¹ The lower rates of home dialysis use in the Black and Latinx communities are not completely
11 explained by geographic, demographic, and clinical factors.² This perspective examines other
12 contributing factors, specifically environmental, social, and system-level barriers to home dialysis faced
13 by Black and Latinx patients with kidney failure. It also offers solutions to the problem of inequitable
14 access to home modalities.

31 *Barriers to Home Dialysis*

32 Many barriers to home dialysis exist, as do potential solutions to these barriers (**Figure 1**). Environmental
33 and social conditions as well as healthcare systems and policies all play pivotal roles in access to home
34 dialysis.

41 Environmental and Social Conditions

42 Lack of home space to store dialysis supplies and absence of social support are more likely to be barriers
43 to peritoneal dialysis (PD) use for patients with low income and education.³ Financial factors – inability
44 to pay for out of pocket costs for home dialysis and lack of health insurance - compound these challenges.
45 In the US, this has translated into community-level disparities. At the neighborhood level, zip codes with
46 higher Black populations are associated with less home dialysis utilization.⁴ Dialysis facilities that serve
47 higher numbers of incident Black and Latinx patients, patients who are uninsured or Medicaid-insured at
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3 dialysis initiation, or patients residing in neighborhoods of high social disadvantage have lower rates of
4
5 home dialysis referral and initiation. ⁵
6
7

8 9 Systems and Policies

10
11 Black and Latinx patients with kidney failure are more likely to have later referral to nephrologists, less
12
13 pre-dialysis nephrology care, inadequate patient-centered dialysis modality education, and higher rates of
14
15 unplanned dialysis initiation than non-Latinx White patients. Lack of pre-dialysis nephrology care is
16
17 associated with less modality education and higher rates of urgent dialysis initiation, which is
18
19 predominantly hemodialysis with a dialysis catheter, except in rare areas where urgent-start PD is offered.
20
21 Even with adequate pre-dialysis education, many patients report they did not make their own choice
22
23 regarding dialysis modality. ⁶ Provider bias may play a role in these provider-patient interactions, though
24
25 this connection has not been studied in home dialysis.
26
27
28
29

30
31 At the policy level, many value-based models disproportionately penalize healthcare systems caring for
32
33 racial and ethnic minorities. The ESRD Treatment Choices Model (ETC), introduced under the AAKH,
34
35 aims to positively adjust Medicare payments for home dialysis modality use. In its first ETC model, the
36
37 Centers for Medicaid Services (CMS) considered excluding beneficiaries with social barriers (such as
38
39 unstable housing) from home dialysis payment models under the ETC, potentially widening barriers to
40
41 home dialysis. Following public review, CMS has since made changes more broadly incorporating health
42
43 equity into this model. ⁷ In order to address social barriers, implementation of the models under the
44
45 AAKH will require stakeholder and health system coordination to improve existing barriers and
46
47 implement novel solutions.
48
49
50

51 *Solutions*

52
53 The AAKH initiative offers an opportunity for improvement in the care of patients with kidney disease
54
55 which cannot be reached without strategic efforts to care for racial and ethnic minorities.
56
57
58
59
60

1
2
3
4
5 Several innovative strategies have demonstrated improved home dialysis access through addressing social
6 and environmental barriers. Community house hemodialysis, where multiple patients perform home
7 hemodialysis in a common house, is performed in New Zealand for those with unstable housing and has
8 been especially helpful in Indigenous communities. ⁸ Assisted PD (PD at home with the assistance of a
9 trained caregiver) is reimbursed by healthcare systems in Canada, Denmark, and France. This addresses
10 issues of social isolation, lack of caregiver support, and transportation. ⁹ Further, telehealth appointments
11 for those with adequate internet access and technological proficiency, or home visits may increase access
12 for patients who do not live near a home dialysis clinic. Patient financial incentives, such as
13 reimbursement for days off work for training, or covering travel costs for those who do not live close to a
14 home dialysis clinic, can mitigate issues such as transportation barriers which often affect individuals
15 with lower income. Studies of peer navigators and mentors (typically non-medical individuals who share
16 patients' lived experiences) have also demonstrated improved patient education, motivation, and quality-
17 of-life in other health conditions. ¹⁰

18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35 At the healthcare system level, changes to pre-dialysis education and care delivery require
36 interdisciplinary effort. Nephrologists must be confident in their knowledge of home therapies to offer the
37 modality, as well as to dispel the myth that patients from under-resourced communities are not good
38 candidates. Financial incentives for providers to provide better pre-dialysis care, including proper
39 modality education, and high-quality home therapies, may encourage providers to build the infrastructure
40 to facilitate home dialysis. Patient education must be provided in a culturally and language-concordant
41 way. Providers should receive training to provide culturally responsive care and use language interpreters
42 for patients with limited-English proficiency. ¹¹ Healthcare system-level changes to improve access to
43 home dialysis includes wider implementation of urgent start PD programs. These programs allow patients
44 who unexpectedly and urgently initiate dialysis, a population that is disproportionately Black, Latinx, and
45 under-resourced, to start on home modalities.

1
2
3
4
5 At the policy level, socioeconomic disadvantage must be carefully and strategically addressed in payment
6 models. Early value-based care models penalized healthcare systems taking care of socially
7 disadvantaged patients.¹² Indeed, the first version of the ETC under AAKH did not incorporate risk
8 adjustment accounting for potential barriers to home dialysis, such as unstable housing or access to care,
9 into payment models. This threatened to inadvertently penalize dialysis units and providers taking care of
10 socially disadvantaged patients, through lack of financial incentivization and further limiting investment
11 in care delivery required for those with more barriers to home dialysis. In response to this concern from
12 stakeholders, CMS released the Health Equity Incentive in October 2021, which aimed to improve
13 financial incentives for dual-eligible patients. These changes include a payment incentive for home
14 dialysis and transplant uptake for dialysis facilities and providers managing lower-income beneficiaries,
15 improved data collection monitoring health disparities, and limiting payment reductions under the ESRD
16 Quality Incentive Program (QIP).⁷

17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32 Further revisions to the Health Equity Incentive may include incorporating disparities-sensitive quality
33 measures, social risk factor adjustments, and universal social needs screening into alternative payment
34 models in order to equitably meet AAKH goals.¹² Reddy et al have proposed utilizing payments through
35 AAKH initiatives to further address barriers to home dialysis through novel means, including partnering
36 with governments to prioritize subsidized housing for those unstably housed, allowing transitional care
37 units to function as self-training units for home therapies, and incentivizing participant investments in
38 kidney replacement therapy education and referral programs.¹³ In addition, the Improving Access to
39 Home Dialysis Act was recently introduced in Congress. This Act would allow Medicare to pay for
40 assisted PD and require government to study racial disparities in home dialysis use.

41
42
43
44
45
46
47
48
49
50
51
52
53
54 *Conclusion*

1
2
3 Despite the higher incidence and prevalence of kidney disease in Black and Latinx communities, home
4 dialysis therapies are disproportionately underused. Meeting AAKH goals will require establishing
5 systems and policies that center the margins, specifically addressing barriers faced by racial and ethnic
6 minorities to equitably provide access to home dialysis care.
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Funding:

Dr. Katherine Rizzolo is supported by NIDDK/NIH grant '5T32DK007135-46'. The remaining authors have nothing to report.

Disclosures:

K. Rizzolo reports Other Interests or Relationships: ASN Health Care Justice Committee. L. Cervantes reports Research Funding: Retrophin; Advisory or Leadership Role: Retrophin/Traverse; and Other Interests or Relationships: National Kidney Foundation. J. Shen reports Advisory or Leadership Role: Kidney Medicine Associate Editor, North American Council of the International Society of Peritoneal Dialysis, PDOPPS Steering Committee, Peritoneal Dialysis International Editorial Board; and Other Interests or Relationships: National Kidney Foundation member, and American Society of Nephrology member.

Author Contributions:


CRediT Taxonomy

Katherine Rizzolo: Conceptualization, Formal analysis, Writing – original draft, Writing – review & editing

Lilia Cervantes: Formal analysis, Supervision, Writing – review & editing

Jenny Shen: Formal analysis, Supervision, Writing – review & editing

Figure 1. Barriers and potential solutions to racial and ethnic disparities in home dialysis care.



References:

1. System USRD: 2020 USRDS Annual Data Report: Epidemiology of kidney disease in the United States. National Institutes of Health, National Institute of Diabetes and Digestive and Kidney Diseases, Bethesda, MD,
2. Shen JI, Chen L, Vangala S, Leng L, Shah A, Saxena AB, et al.: Socioeconomic Factors and Racial and Ethnic Differences in the Initiation of Home Dialysis. *Kidney Medicine*, 2: 105-115, 2020 <https://doi.org/10.1016/j.xkme.2019.11.006>
3. Prakash S, Perzynski AT, Austin PC, Wu CF, Lawless ME, Paterson JM, et al.: Neighborhood Socioeconomic Status and Barriers to Peritoneal Dialysis: A Mixed Methods Study. *Clinical Journal of the American Society of Nephrology*, 8: 1741-1749, 2013 10.2215/cjn.11241012
4. Walker DR, Inglese GW, Sloand JA, Just PM: Dialysis facility and patient characteristics associated with utilization of home dialysis. *Clin J Am Soc Nephrol*, 5: 1649-1654, 2010 10.2215/cjn.00080110
5. Thorsness R, Wang V, Patzer RE, Drewry K, Mor V, Rahman M, et al.: Association of Social Risk Factors With Home Dialysis and Kidney Transplant Rates in Dialysis Facilities. *Jama*, 326: 2323-2325, 2021 10.1001/jama.2021.18372
6. Wuerth DB, Finkelstein SH, Schwetz O, Carey H, Kliger AS, Finkelstein FO: Patients' descriptions of specific factors leading to modality selection of chronic peritoneal dialysis or hemodialysis. *Perit Dial Int*, 22: 184-190, 2002
7. CMS Takes Decisive Steps to Reduce Health Care Disparities Among Patients with Chronic Kidney Disease and End-Stage Renal Disease. 2021
8. Walker RC, Tipene-Leach D, Graham A, Palmer SC: Patients' Experiences of Community House Hemodialysis: A Qualitative Study. *Kidney Medicine*, 1: 338-346, 2019 <https://doi.org/10.1016/j.xkme.2019.07.010>
9. Oliver MJ, Salenger P: Making Assisted Peritoneal Dialysis a Reality in the United States: A Canadian and American Viewpoint. *Clinical journal of the American Society of Nephrology : CJASN*, 15: 566-568, 2020 10.2215/CJN.11800919
10. Cervantes L, Hasnain-Wynia R, Steiner JF, Chonchol M, Fischer S: Patient Navigation: Addressing Social Challenges in Dialysis Patients. *Am J Kidney Dis*, 76: 121-129, 2020 10.1053/j.ajkd.2019.06.007
11. Cervantes L, Rizzolo K, Carr AL, Steiner JF, Chonchol M, Powe N, et al.: Social and Cultural Challenges in Caring for Latinx Individuals With Kidney Failure in Urban Settings. *JAMA Netw Open*, 4: e2125838, 2021 10.1001/jamanetworkopen.2021.25838
12. Tummalapalli SL, Ibrahim SA: Alternative Payment Models and Opportunities to Address Disparities in Kidney Disease. *Am J Kidney Dis*, 77: 769-772, 2021 10.1053/j.ajkd.2020.09.008
13. Reddy YNV, Tummalapalli SL, Mendu ML: Ensuring the Equitable Advancement of American Kidney Health-the Need to Account for Socioeconomic Disparities in the ESRD Treatment Choices Model. *J Am Soc Nephrol*, 32: 265-267, 2021 10.1681/asn.2020101466